

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A method of granting access to a bus to one of a plurality of requesting communication circuits that each submitted a bus control request during a request period of an arbitration period, the method comprising ~~the steps of~~:

determining a first and a second stored identity associated with the arbitration period, the first stored identity ~~identifying~~ identifies a first communication circuit, the second stored identity ~~identifying~~ identifies a second communication circuit; and

determining whether any requesting communication circuit has an identity that matches the first or the second stored identity.

2. (Currently Amended) The method of claim 1 ~~and~~ , further comprising ~~the steps of~~:

identifying a matching communication circuit when a requesting communication circuit has an identity that matches the first or the second stored identity,

reading a stored priority associated with the matching communication circuit, the stored priority indicating a priority level of a data cell of the matching communication circuit; and

determining whether a priority of the matching communication circuit matches the stored priority.

3. (Currently Amended) The method of claim 2 ~~and~~ , further comprising ~~the step of~~ when the priority of the matching communication circuit matches the stored priority, determining if the first and second stored identities both match the identity of the matching communication circuit.

4. (Original) The method of claim 3 wherein when the identity of the matching communication circuit matches only the first or the second stored identity, outputting a grant to the matching communication circuit.

5. (Currently Amended) The method of claim 4 wherein the bus has a plurality of first control lines and a plurality of second control lines; and

further comprising ~~the step of~~ when the first stored identity and the second stored identity both match the identity of the matching communication circuit, determining whether a bus control request with an identity that matched the first stored identity and a bus control request with an identity that matched the second stored identity came in on a same control line.

6. (Currently Amended) The method of claim 5 ~~and~~ , further comprising ~~the step of~~ when the bus control requests came in on the same line, outputting a grant to the requesting communication circuit that has a lowest stored identity.

7. (Currently Amended) The method of claim 5 ~~and~~ , further comprising ~~the step of~~ when the bus control requests did not come in on the same control line, outputting a grant to the requesting communication circuit that sent a request in on the first control lines.

8. (Currently Amended) The method of claim 2 ~~and~~ , further comprising ~~the step of~~ when a requesting communication circuit does not have an identity that matches the first or the second stored identity, determining a selected communication circuit from the plurality of requesting communication circuits.

9. (Original) The method of claim 8 wherein the selected communication circuit is determined with a round robin.

10. (Original) The method of claim 2 wherein the priority of the requesting communication circuit is the priority of a data cell to be transmitted onto the bus by the requesting communication circuit.

11. (Currently Amended) A communications circuit comprising:  
a transmit circuit ~~that transmits~~ to transmit information onto a cell bus;  
a receive circuit ~~that receives~~ to receive information from the cell bus;  
a memory ~~that stores~~ to store grant information regarding a plurality of arbitration periods, the grant information for each arbitration period including a first stored identity that identifies a first communication circuit, and a second stored identity that identifies a second communication circuit; and  
a logic circuit connected to the transmit circuit, the receive circuit, and the memory ~~that determines~~ to determine whether any communication circuits requested control of a bus during an arbitration period, the logic circuit ~~determining~~ to determine a first and a second stored identity associated with the arbitration period, and ~~determining~~ whether any requesting communication circuit has an identity that matches the first or the second stored identity.

12. (Original) The communications circuit of claim 11 wherein when a requesting communication circuit has an identity that matches the first or the second stored identity, the logic circuit identifies the requesting communication circuit as a matching communication circuit, reads a stored priority associated with the matching communication circuit, and determines whether a priority of the matching communication circuit matches the stored priority, the stored priority indicating a priority level of a data cell of the communication circuit.

13. (Original) The communications circuit of claim 12 wherein when the priority of the matching communication circuit matches the stored priority, the logic circuit determines if the first and second stored identities both match the identity of the matching communication circuit.

14. (Original) The communications circuit of claim 13 wherein when the identity of the matching communication circuit matches only the first or the second stored identity, the logic circuit outputs a grant to the matching communication circuit.

15. (Original) The communications circuit of claim 14 wherein the bus has a plurality of first control lines and a plurality of second control lines; and  
further comprising the step of when the first stored identity and the second stored identity both match the identity of the matching communication circuit, the logic circuit determines whether a bus control request with an identity that matched the first stored identity and a bus control request with an identity that matched the second stored identity came in on a same control line.

16. (Original) The communications circuit of claim 15 wherein when the bus control requests came in on the same line, the logic circuit outputs a grant to the requesting communication circuit that has a lowest stored identity.

17. (Currently Amended) The communications circuit of claim 15 wherein when the bus control requests did not come in on the same control line, outputting the logic circuit outputs a grant to the requesting communication circuit that sent a request in on the first control lines.

18. (Original) The communications circuit of claim 12 wherein when a requesting communication circuit does not have an identity that matches the first or the second stored identity, the logic circuit determines a selected communication circuit from the plurality of requesting communication circuits.